



DESIGN COMPONENTS, INC.

115 Walter Way - Fayetteville, GA 30214
 ph: (800) 868-9910
 fx: (770) 460-7872
 email: sales@designcomponents.com
 website: www.designcomponents.com

METAL BUILDING ROOF CURB



1 PIECE-LOOSE RIBS

(800) 868-9910


<p>Metal Building Roof Curb</p> <p><u>STANDARD FEATURES:</u></p> <ol style="list-style-type: none"> 1. 18 Ga. AZ55 Galvalume Steel. 2. Corners Mitered and Welded Watertight. 3. Curb welds primed after Fabrication. 4. Water Cricket. 5. 8" Minimum height. 6. Loose Ribs. 7. Internal Angle Reinforcing. 8. 1 1/2" Thick, 3# Density Fiberglass Insulation. 	<p><u>OPTIONS:</u></p> <ol style="list-style-type: none"> 1. 2. 3. 4.
<p>PROJECT NAME: _____</p> <p>CITY, STATE: _____</p> <p>CUSTOMER: _____</p> <p>_____</p> <p>_____</p> <p>JOB NUMBER: _____</p>	

Note: The Front, Rear, and Side Flanges Fit Over the Roof Panel


RIBS TO MATCH ROOF PANEL _____





Typical Steel Loose "Over" Rib for SSR Panel.



Typical Steel Loose rib for "R" Panel or "Under" Rib for SSR Panel.



Optional Buildex Dek-Cap(R) Flexible Flashing



QUANTITY	INSIDE DIMENSION	OUTSIDE DIMENSION "W" x "L"	HEIGHT "R"	TAG
	X	X		
	X	X		
	X	X		
	X	X		
	X	X		