



Powder-coated structural steel mezzanines and stair systems pre-frabricated to your specifications - with custom sizes, heights, spans, decking materials and landings. Convert wasted space into a useable area for your facility!

CONSTRUCTION

- Modular bolt-together systems
- Sturdy handrail with 4" kickplate
- Heavy-duty columns & baseplates
- Heavy-duty prefabricated stairs and accessories
- 4-MIL powder coated steel components provide a superior level of durability against abusive, corrosive applications



STANDARD DECKING OPTIONS

- Advantech This is a high quality product superior to ordinary plywood and OSB options due to its enhanced strength and moisture resistance
- ResinDek High density composite flooring, recommended for mezzanines requiring a solid floor subject to heavy loads from the use of pallet jacks, carts or dollies
- Concrete Flooring The most durable type of mezzanine flooring by far
- Diamond Plate This is considered to be our second most durable flooring
- Press-locked Grating A common choice in the waste management, mining, and food service industries

1 of 3

MEZZANINES TECHNICAL DATA

STANDARD COLOR OPTIONS



39/40010 ROYAL BLUE



39/80010 GLOSS BLACK 80+



39/20020 SAFETY YELLOW



39/30100 FIRE ENGINE RED



39/10100 ASA-49



APPLICATIONS











2 of 3



MEZZANINE QUOTE REQUEST FORM

| Information We Need From You | | | | | | | | | | | Yo | our I | nforn | natio | n | | | | | | | | |
|-------------------------------------|-----------------------|-----------------------|--------|-----|-----|-----|---|---|------------|---|----|-------|-------|--------|-----|-------|--------------------|------|-----|---|-----|--|-----|
| Code Compliance: | Company Name: | | | | | | | | Your Name: | | | | | | | | | | | | | | |
| ☐ IBC Compliant ☐ OSHA Compliant | Address: | | | | | | | | | | | | | | | City: | : | | | | | | |
| ibe compilant | | State: | | | | | | | Zip Code: | | | | | | Pho | ne: | | | | | | | |
| Mezzanine Dimensions: | | | | | | | | | | | | | Info | | | | | | | | | | |
| Width Length | | Ship | To Cit | ty: | | | | | | | | | | | | Ship | To Zi _l | Code | :: | | | | |
| Deck Ht Clear Ht | | Date Quote Needed By: | | | | | | | | | | | P | lan To | Ву: | | | | | | | | |
| Load Requirements: PSF | Sketch Your Mezzanine | | | | | | | | | | | | | | | | | | | | | | |
| Handrail Requirements: | | | | | | | | | | | | | | | | | | | | | | | |
| Handrail Required? Yes No | | | | | | | | | | | | | | | | | | | | | | | |
| Fixed Handrail? Removable Handrail? | | | | | | | | | | | | | | | | | | | | | | | |
| Gate Requirements: | | | | | | | | | | | | | | | | | | | | | | | |
| No Gate Swing Lift Pivot | | | | | | | | | | | | | | | | | | | | | | | |
| Gate Width | | | | | | | | | | | | | | | | | | | | | | | |
| Decking Options: | | | | | | | | | | | | | | | | | | | | | | | |
| Advantech Dia. Plate Concrete | | | | | | | | | | | | | | | | | | | | | | | |
| Bar Grating | | | | | | | | | | | | | | | | | | | | | | | |
| Special Requirements: | | | | | | | | | | | | | | | | | | | | | | | |
| Engineered/Stamped PE Drawings | | | | | | | | | | | | | | | | | | | | | | | |
| 3D Renderings | | | | | | | | | | | | | | | | | | | | | | | |
| No Drawing | | | | | | | | | | | | | | | | | | | | | | | |
| Footing Calculations | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Other | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 | 1 | 1 | 1 | - 1 | - 1 | 1 | 1 | 1 | 1 | 1 | | ı I | | | ı İ | 1 | 1 | 1 ' | 1 | . ! | | - 1 |



If applicable - please note location of all railings, any removable railing sections, the stair location, and gate locations on the sketch above